Show S Numbers

Edit S Numbers

Preferences

Search Results -

Terms	Documents
11 and 12 and 13	11

US Patents Full-Text Database
US Pre-Grant Publication Full-Text Database
JPO Abstracts Database
EPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Main Menu | Search Form | Posting Counts

	11	and	12	and	13			
Refine Search:						₹		Clear
						-	* Formania	***

Search History

Today's Date: 1/16/2002

DB Name	<u>Query</u>	Hit Count	Set Name
USPT,PGPB	11 and 12 and 13	11	<u>L4</u>
USPT,PGPB	(ela or elb) near8 (delet\$ or remove\$ or deminish\$)	201	<u>L3</u>
USPT,PGPB (hea	1546	<u>L2</u>	
USPT,PGPB	adenoviral adj vector or adenovirus	9796	<u>L1</u>

Generate Collection

Search Results - Record(s) 1 through 11 of 11 returned.

1. Document ID: US 20020004489 A1

L4: Entry 1 of 11

File: PGPB

Jan 10, 2002

PGPUB-DOCUMENT-NUMBER: 20020004489

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020004489 A1

TITLE: Retinoid receptor interacting polynucleotides, polypeptides, and antibodies

PUBLICATION-DATE: January 10, 2002

INVENTOR - INFORMATION:

NAME CITY STATE COUNTRY RULE-47

Shi, Yanggu Gaithersburg MD US Ruben, Steven M. Olney US MD

US-CL-CURRENT: 514/44; 435/325, 435/69.1, 530/350, 530/388.22, 536/23.5

Full Title Citation Front Review Classification Date Reference Claims KMC Draw Desc Image

2. Document ID: US 6331388 B1

L4: Entry 2 of 11 File: USPT Dec 18, 2001

US-PAT-NO: 6331388

DOCUMENT-IDENTIFIER: US 6331388 B1

TITLE: Immune response enhancer

DATE-ISSUED: December 18, 2001

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Malkovsky; Miroslav Madison WI Wells; Andrew D. Mt. Laurel NJ

US-CL-CURRENT: $\underline{435/5}$; $\underline{424/278.1}$, $\underline{435/375}$, $\underline{435/69.1}$, $\underline{435/7.21}$, $\underline{435/7.22}$, $\underline{435/7.23}$, $\underline{435/7.24}$,

435/7.31, 435/7.32, 514/44

Full Title Citation Front Review Classification Date Reference KMC Draw Desc Image

3. Document ID: US 6319716 B1

L4: Entry 3 of 11 File: USPT Nov 20, 2001 Record: isrApisplas: 6319716 http://westbrs:8820/bin/gate.exe?f=TOC&state=cislb2.5&ref=4&dbname=USPT,PGPB&ESNAME=

DOCUMENT-IDENTIFIER: US 63197

TITLE: Bovine adenovirus type 3 genome and vector systems derived therefrom

B1

DATE-ISSUED: November 20, 2001

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Tikoo; Suresh Kumar Saskatoon CAX
Babiuk; Lorne A. Saskatoon CAX

Reddy; Police Seshidhar Gaithersburg MD

Zakhartchouk; Alexandre Saskatoon CAX
Baxi; Mohit Saskatoon CAX

US-CL-CURRENT: <u>435/471</u>; <u>424/199.1</u>, <u>424/93.2</u>, <u>435/235.1</u>, <u>435/320.1</u>, <u>435/472</u>, <u>435/475</u>, <u>435/477</u>

Full Title Citation Front Review Classification Date Reference

KWIC Draw, Desc Image

4. Document ID: US 6197293 B1

L4: Entry 4 of 11 File: USPT Mar 6, 2001

US-PAT-NO: 6197293

DOCUMENT-IDENTIFIER: US 6197293 B1

TITLE: Adenovirus vectors specific for cells expressing androgen receptor and methods of use

thereof

DATE-ISSUED: March 6, 2001

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Henderson; Daniel R. Palo Alto CA Schuur; Eric R. Palo Alto CA Yu; De-Chao Foster City CA

US-CL-CURRENT: $\frac{424}{93.2}$; $\frac{424}{93.6}$, $\frac{435}{320.1}$, $\frac{435}{325}$, $\frac{435}{366}$, $\frac{435}{371}$, $\frac{435}{375}$, $\frac{435}{455}$,

435/456, 435/5, 435/6

<u>133, 130, 133, 5, 133, 6</u>

Full Title Citation Front Review Classification Date Reference

KWMC | Draw. Desc | Image |

5. Document ID: US 6174871 B1

L4: Entry 5 of 11 File: USPT Jan 16, 2001

US-PAT-NO: 6174871

DOCUMENT-IDENTIFIER: US 6174871 B1

TITLE: Gene therapies for enhancing cardiac function

DATE-ISSUED: January 16, 2001

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Hammond; H. Kirk La Jolla CA Giordano; Frank J. Del Mar CA Dillmann; Wolfgang H. Solana Beach CA

2 of US-CL-CURRENT: 514/44; 424/93.6, 435/320.1, 536/23.5

Full Title Citation Front Review

sification Date Reference

KWMC D Desc Image

6. Document ID: US 6165977 A

L4: Entry 6 of 11

File: USPT

Dec 26, 2000

US-PAT-NO: 6165977

DOCUMENT-IDENTIFIER: US 6165977 A

TITLE: Isozyme-specific activators of protein kinase C methods and compositions

DATE-ISSUED: December 26, 2000

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Mochly-Rosen; Daria

Menlo Park

CA

US-CL-CURRENT: 514/16; 435/15, 435/6, 435/7.8, 436/86, 530/328

Full Title Citation Front Review Classification Date Reference

KWMC Draw Desc Image

7. Document ID: US 6100242 A

L4: Entry 7 of 11

File: USPT

Aug 8, 2000

US-PAT-NO: 6100242

DOCUMENT-IDENTIFIER: US 6100242 A

TITLE: Gene therapies for enhancing cardiac function

DATE-ISSUED: August 8, 2000

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE COUNTRY

Hammond; H. Kirk

La Jolla

CA

Giordano; Frank J.

Del Mar

CA

Dillmann; Wolfgang H.

Solana Beach

CA

US-CL-CURRENT: 514/44; 424/93.21, 435/320.1

Full Title Citation Front Review Classification Date Reference

KWC Draw Desc Image

■ 8. Document ID: US 6020192 A

L4: Entry 8 of 11

File: USPT

Feb 1, 2000

Record List Display: 6020192

DOCUMENT-IDENTIFIER: US 6020

TITLE: Humanized green fluorescent protein genes and methods

Α

DATE-ISSUED: February 1, 2000

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Muzyczka; Nicholas Gainesville FLZolotukhin; Sergei Gainesville FLHauswirth; William Gainesville FL.

US-CL-CURRENT: 435/320.1; 435/235.1, 536/23.1, 536/23.5

Full Title Citation Front Review Classification Date Reference KWIC Draw Desc Image

9. Document ID: US 5968750 A

L4: Entry 9 of 11 File: USPT Oct 19, 1999

US-PAT-NO: 5968750

DOCUMENT-IDENTIFIER: US 5968750 A

TITLE: Humanized green fluorescent protein genes and methods

DATE-ISSUED: October 19, 1999

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Zolotukhin; Sergei Gainesville FLMuzyczka; Nicholas Gainesville FLHauswirth; William W. Gainesville FL

US-CL-CURRENT: 435/6; 435/366, 435/40.52, 435/7.21, 435/7.4

Full Title Citation Front Review Classification Date Reference KMC Draw Desc Image

☐ 10. Document ID: US 5874304 A

L4: Entry 10 of 11 File: USPT Feb 23, 1999

US-PAT-NO: 5874304

DOCUMENT-IDENTIFIER: US 5874304 A

TITLE: Humanized green fluorescent protein genes and methods

DATE-ISSUED: February 23, 1999

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Zolotukhin; Sergei Gainesville FLMuzyczka; Nicholas Gainesville FL Hauswirth; William W. Gainesville FL

US-CL-CURRENT: $\underline{435}/\underline{366}$; $\underline{435}/\underline{320.1}$, $\underline{435}/\underline{325}$, $\underline{435}/\underline{354}$, $\underline{435}/\underline{357}$, $\underline{435}/\underline{358}$, $\underline{435}/\underline{365}$, $\underline{435}/\underline{367}$,

<u>536/23.1</u>, 536/23.5

1	11.	Document	ID:	US 5'	792453 A	4

L4: Entry 11 of 11

File: USPT

Aug 11, 1998

US-PAT-NO: 5792453

DOCUMENT-IDENTIFIER: US 5792453 A

TITLE: Gene transfer-mediated angiogenesis therapy

DATE-ISSUED: August 11, 1998

INVENTOR-INFORMATION:

NAME CITY

STATE ZIP CODE

COUNTRY

Hammond; H. Kirk Giordano; Frank J. La Jolla Del Mar

CA CA CA

Dillmann; Wolfgang H. Solana Beach

US-CL-CURRENT: 424/93.21; 435/320.1, 435/366, 536/23.5

Full Title Citation Front Review Classification Date Reference

KWMC | Drawl Desc | Image

Generate Collection

Terms	Documents
l1 and l2 and l3	11

Display

20 Documents, starting with Document: 11

Display Format:

Change Format

(FILE 'HOME' ENTERED AT 18:37:50 ON 16 JAN 2002)

FILE 'MEDLINE, CAPLUS, BIOSIS, SCISEARCH' ENTERED AT 18:37:59 ON 16 JAN 2002 78889 S ADENOVIRAL (5A) VECTOR OR ADENOVIRUS L159471 S HEAT (W) SHOCK (W) PROTEIN OR HSP70I OR HSP27 OR HSP40 OR HSP60 L2435 S L1 AND L2 L3 830 S (E1A OR E2A) (6A) (DELET? OR REMOVE? OR DEMINISH?) L49 S L4 AND L3 L5 7 DUP REM L5 (2 DUPLICATES REMOVED) L6 13211 S E1A OR E2A L7135 S L7 AND L3 L8 912 S (E1A OR E2A) (8A) (DELET? OR REMOVE? OR DEMINISH?) L9 9 S L3 AND L9 L10 => d au ti so ab 1-9 16 ANSWER 1 OF 7 CAPLUS COPYRIGHT 2002 ACS 1.6 Giordano, Frank J.; Dillmann, Wolfgang H.; Mestril, Ruben IN Gene therapy for myocardial ischemia TΙ PCT Int. Appl., 35 pp. SO CODEN: PIXXD2 A transgene-inserted replication-deficit adenoviral AB vector is effectively used in in vivo gene therapy for myocardial ischemia in an protective way, by a single intracoronary injection directly conducted deeply in the lumen of the coronary arteries in an amt. sufficient for transfecting all cell types in the affected region, including cardiac myocytes. The vector contains a transgene coding for a stress-related factor (HSP70i, HSP27, etc.).

- L6 ANSWER 2 OF 7 BIOSIS COPYRIGHT 2002 BIOSIS
- AU Buchou, Thierry; Kranenburg, Onno; Van Dam, Hans; Roelen, Dave; Zantema, Alt; Hall, Frederick L.; Van Der Eb, Alex (1)
- TI Increased cyclin A and decreased cyclin D levels in adenovirus 5 E1A-transformed rodent cell lines.
- SO Oncogene, (1993) Vol. 8, No. 7, pp. 1765-1773. ISSN: 0950-9232.
- AB Adenovirus-(Ad)-E1A proteins carry two conserved domains (CR1 and CR2) required for transformation of primary rodent cells and essential

for association with cellular proteins, including p105-RB, p58-cyclin A and p33-cdk2. We show that in normal rat kidney 49F (NRK) cell lines expressing various mutant Ad5-E1A genes, CR2-, but not CR-1-, deletion mutants induce a typical transformed phenotype as

characterized by morphology, absence of density arrest and loss of serum requirement. This indicates that induction of these transformed properties

is a function of CR1. The fact that **E1A** proteins with **deletions** in CR2 show a greatly reduced association with RB, cyclin A and p33-cdk2 suggests that these associations are dispensable for

E1A-mediated transformation of NRK cells. Induction of the transformed properties is accompanied by a CR1-dependent increase in Proliferating Cell Nuclear Antigen and cyclin A gene expression. Elevated mRNA and protein levels of cyclin A were also found in Ad12-E1-transformed NRK cells but not in ras-transformed NRK cells. On the other hand, cyclin D

expression is decreased in a CR1-dependent manner. Although Ad5-E1A proteins are sufficient to transform NRK cells, further deregulation of growth is obtained when Ad5-E1B proteins are co-expressed. One of the Ad5-E1B effects is the sequestration of the p53 protein into a cytoplasmic

body containing the p53/Ad5-E1B-55 kD complex. Interestingly, in NRK cell lines expressing Ad5-E1B-55 kD, cyclin A could be detected not only in

the

nucleus but also in the cytoplasmic bodies. These results indicate that the deregulation of cell cycle control by the Adenovirus-E1 region may be due to a CR1-dependent alteration of the expression of cyclins A and D.

L6 ANSWER 3 OF 7 MEDLINE

DUPLICATE 1

- AU Pieniazek D; Pieniazek N J; Macejak D; Luftig R B
- TI Enteric adenovirus 41 (Tak) requires low serum for growth in human primary cells.
- SO VIROLOGY, (1990 Sep) 178 (1) 72-80. Journal code: XEA; 0110674. ISSN: 0042-6822.
- It had been postulated that due to lack of growth of enteric AB adenovirus 41 (Ad41) on human primary cells and its growth on Graham-293 cells there was a defect in the Ad41 E1A region. However, we found as a result of careful evaluation of Ad41 growth on several primary cell lines (HEK, WI-38, or Detroit 551) that efficient viral multiplication is possible if the serum concentration in the medium used postinfection (p.i.) is kept between 0.2 and 1%. In contrast, only slight growth of Ad41 occurs in infected cells maintained in 5% serum and virtually no viral replication is found in infected cells cultivated in medium with 10% serum. The serum inhibitory effect appears limited to primary cells because no difference in Ad41 replication, as assayed by accumulation of Ad41 DNA, was found in infected continuous cell lines (HEp-2, 293) cultivated p.i. in either 1 or 10% FBS. Also, this effect appears specific for enteric adenoviruses, such as Ad41, since conventional adenoviruses, such as Ad5, grow well in both 1 and 10% FBS. The above results show that Ad41 can grow in a variety of primary

cell lines, under specific culture conditions. In addition, we found that Ad41-infected primary cells grown in medium containing 0.2% serum had an increase in synthesis of the 70-kDa heat shock protein (HSP70) at about 6 hr p.i. and also Ad41 was able to complement the Ad5 E1A deletion mutant dl312. These results show that the E1A function of Ad41 is not impaired in infected cells.

- L6 ANSWER 4 OF 7 MEDLINE
- AU Williams G T; McClanahan T K; Morimoto R I
- TI Ela transactivation of the human HSP70 promoter is mediated through the basal transcriptional complex.
- SO MOLECULAR AND CELLULAR BIOLOGY, (1989 Jun) 9 (6) 2574-87. Journal code: NGY; 8109087. ISSN: 0270-7306.
- AB We have examined the promoter sequence requirements for Ela transactivation of the human HSP70 gene by using a transient cotransfection assay. A 5' deletion study has defined a basal transcription unit extending to -74 relative to the transcription initiation site which was fully Ela responsive. Further deletion, abolishing a CCAAT element at -67, drastically reduced basal and Ela-induced expression. A linker-scanner analysis has identified

four functional elements within the basal transcription unit which may interact with CTF, SP1, TFIID, and an ATF/AP1-like factor. Sequences

between -100 and -188 can partially compensate for mutations in these elements. No mutation specifically abolished Ela inducibility. Any reduction in absolute Ela-induced levels was accompanied by a corresponding reduction in absolute basal levels, thereby maintaining a constant relative fold induction. We conclude that Ela transactivation of the human HSP70 promoter does not require any single basal transcription element. We also examined an HSP70 promoter fragment, containing the

element at -67 and the purine-rich element at -54, out of its normal context by fusing it upstream of a transcriptionally inactive herpes simplex virus thymidine kinase deletion construct containing only the TATA

box. The resulting chimeric promoter was fully ${\tt E1a}$ responsive. Mutagenesis

of this promoter fusion demonstrated that the CCAAT element was essential for detectable basal and Ela-induced expression. Mutations in the purine-rich element resulted in an approximately 10-fold elevation in basal levels and rendered the promoter nonresponsive to Ela.

- L6 ANSWER 5 OF 7 MEDLINE
- AU Murphy M; Opalka B; Sajaczkowski R; Schulte-Holthausen H
- TI Definition of a region required for transformation in Ela of adenovirus 12.
- SO VIROLOGY, (1987 Jul) 159 (1) 49-56. Journal code: XEA; 0110674. ISSN: 0042-6822.
- AB In order to define functionally important regions of the E1 a gene of adenovirus 12 (Ad12), a number of Ad12 mutants were studied. These mutants share an identical 69-bp deletion in the first exon of E1a as well as duplications of a long terminal repeat sequence at the end of the Ad12 genome. The mutants are fully competent for replication and growth in their normal hosts and have a host range extended to include the Vero cell line of African green monkey origin.

The

CCAAT

partially deleted E1a can stimulate the expression of all early adenoviral genes as well as the cellular heat shock gene, the transcription of which is stimulated by Ad5 E1a. However, plasmids containing the deleted E1a plus wild type E1b were unable to effect a transformation of either primary rat embryo fibroblasts or on an established cell line following transfection. Further, the mutant viruses were defective in generating tumors in newborn

hamsters. We conclude that the **deleted** sequence of **Ela** described here is critical for transformation by Ela but is not necessary for multiplication of the virus or the transcriptional activating function

of the gene.

- L6 ANSWER 6 OF 7 CAPLUS COPYRIGHT 2002 ACS
- AU Nevins, J. R.; Imperiale, M. J.; Feldman, L. T.; Kao, H. T.
- TI Role of the adenovirus transforming gene (E1A) in the general control of gene expression
- SO Transplant. Proc. (1984), 16(2), 438-40 CODEN: TRPPA8; ISSN: 0041-1345
- AB The adenovirus E1A protein inactivated a major heat-shock gene in human cells equiv. to the major 70,000-mol.-wt. heat-shock gene of Drosophila. Through the action of the E1A protein, transcription of the heat-shock gene is induced, suggesting that both the human heat-shock

and early adenovirus genes are subject to the same cellular regulation. Pseudorabies (a herpes virus) virus was used to det. if the

herpes immediate early gene would activate adenovirus genes. Coinfection of HeLa cells with deletion mutant d1312 (adenovirus E1A-) and pseudorabies virus resulted in activation of the early adenovirus genes. Moreover, the herpes virus-mediated activation was much stronger than the normal E1A-mediated activation. Expts. using a temp.-sensitive mutant of pseudorabies confirmed that the immediate early gene was responsible for the activation.

- ANSWER 7 OF 7 CAPLUS COPYRIGHT 2002 ACS L6
- Nevins, J. R.; Imperiale, M. J.; Kao, H. T.; Strickland, S.; Feldman, L. AII
- Detection of an adenovirus E1A-like activity in mammalian cells TI
- Curr. Top. Microbiol. Immunol. (1984), 113 (Oncog. B-Cell Neoplasia), SO 15-19

CODEN: CTMIA3; ISSN: 0070-217X

A discussion is presented on the existence of a human cellular homolog of AΒ the adenoviral E1A gene product. The viral E1A gene product mediates early viral transcription during lytic infections and also induces a 72-kilodalton (kd) cellular heat-shock protein

Several uninfected human cell lines were examd. for the presence of this 72 kd protein and its mRNA. Those cell lines which contained high levels of the 72 kd protein and its mRNA also supported the expression of viral genes upon infection with viral E1A deletion

mutants, suggesting the presence of a cellular homolog of the viral E1A activity. Cells possessing this E1A activity were usually tumor-derived and exhibited proliferative activity, suggesting that the cellular E1A homolog may be of relevance in the pathogenesis of neoplasia and in cell proliferation control.

=> d bib 1 16

```
ANSWER 1 OF 7 CAPLUS COPYRIGHT 2002 ACS
L6
```

- AN 1997:111187 CAPLUS
- DN 126:113179
- TI Gene therapy for myocardial ischemia
- Giordano, Frank J.; Dillmann, Wolfgang H.; Mestril, Ruben IN
- Regents of the University of California, USA; Giordano, Frank J.; PA Dillmann, Wolfgang H.; Mestril, Ruben
- PCT Int. Appl., 35 pp. so
 - CODEN: PIXXD2
- DT Patent
- English LΑ
- FAN.CNT 1

```
PATENT NO.
                    KIND DATE
                                          APPLICATION NO. DATE
PΙ
    WO 9640195
                     A1
                           19961219
                                          WO 1996-US9858
                                                           19960607
           AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE,
            ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS,
            LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD,
             SE, SG
        RW: KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR,
             IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA
                                          CA 1996-2174040 19960412
    CA 2174040
                      AΑ
                           19971013
    CA 2221710
                      AA
                           19961219
                                          CA 1996-2221710
                                                           19960607
    AU 9662681
                      A1
                           19961230
                                          AU 1996-62681
                                                           19960607
                                          EP 1996-921461
                                                           19960607
     EP 831874
                      Α1
                           19980401
```

R: DE, ES, FR, GB, IT

PRAI US 1995~481122 19950607 WO 1996-US9858 19960607

```
(FILE 'HOME' ENTERED AT 18:37:50 ON 16 JAN 2002)
     FILE 'MEDLINE, CAPLUS, BIOSIS, SCISEARCH' ENTERED AT 18:37:59 ON 16 JAN
     2002
          78889 S ADENOVIRAL (5A) VECTOR OR ADENOVIRUS
L1
          59471 S HEAT (W) SHOCK (W) PROTEIN OR HSP70I OR HSP27 OR HSP40 OR HSP60
L2
            435 S L1 AND L2
L3
            830 S (E1A OR E2A) (6A) (DELET? OR REMOVE? OR DEMINISH?)
L4
L5
              9 S L4 AND L3
              7 DUP REM L5 (2 DUPLICATES REMOVED)
L6
          13211 S E1A OR E2A
L7
            135 S L7 AND L3
L8
            912 S (E1A OR E2A) (8A) (DELET? OR REMOVE? OR DEMINISH?)
L9
              9 S L3 AND L9
L10
            770 S L1 AND L4
L11
             51 S E1A AND E2B
L12
           1764 S E1A AND E1B
L13
           1648 S L1 AND L13
L14
L15
             31 S L14 AND L2
             15 DUP REM L15 (16 DUPLICATES REMOVED)
L16
            974 S (E1A OR E1B) (8A) (DELET? OR REMOVE? OR DEMINISH?)
L17
            936 S L1 AND L17
T.18
              9 S L2 AND L18
L19
=> d au ti so 1-15 l16
                                                         DUPLICATE 1
L16 ANSWER 1 OF 15
                        MEDLINE
     Lee Y J; Galoforo S S; Battle P; Lee H; Corry P M; Jessup J M
ΑIJ
     Replicating adenoviral vector-mediated transfer of a
TI
     heat-inducible double suicide gene for gene therapy.
     CANCER GENE THERAPY, (2001 Jun) 8 (6) 397-404.
SO
     Journal code: CE3; 9432230. ISSN: 0929-1903.
                                                         DUPLICATE 2
L16 ANSWER 2 OF 15
                        MEDLINE
     Schoenberger S P; van der Voort E I; Krietemeijer G M; Offringa R; Melief
ΑU
     C J: Toes R E
     Cross-priming of CTL responses in vivo does not require antigenic
peptides
     in the endoplasmic reticulum of immunizing cells.
     JOURNAL OF IMMUNOLOGY, (1998 Oct 15) 161 (8) 3808-12.
     Journal code: IFB; 2985117R. ISSN: 0022-1767.
                                                         DUPLICATE 3
                        MEDLINE
L16 ANSWER 3 OF 15
     Sang N; Giordano A
     Extreme N terminus of E1A oncoprotein specifically associates
ΤТ
     with a new set of cellular proteins.
     JOURNAL OF CELLULAR PHYSIOLOGY, (1997 Feb) 170 (2) 182-91.
SO
     Journal code: HNB; 0050222. ISSN: 0021-9541.
L16 ANSWER 4 OF 15 CAPLUS COPYRIGHT 2002 ACS
     Giordano, Frank J.; Dillmann, Wolfgang H.; Mestril, Ruben
IN
     Gene therapy for myocardial ischemia
TI
     PCT Int. Appl., 35 pp.
SO
     CODEN: PIXXD2
L16 ANSWER 5 OF 15
                        MEDLINE
     Yang U C; Huang W; Flint S J
ΑU
```

- TI mRNA export correlates with activation of transcription in human subgroup C adenovirus-infected cells.
- SO JOURNAL OF VIROLOGY, (1996 Jun) 70 (6) 4071-80. Journal code: KCV; 0113724. ISSN: 0022-538X.
- L16 ANSWER 6 OF 15 MEDLINE DUPLICATE 4
- AU Brown C R; Doxsey S J; White E; Welch W J
- TI Both viral (adenovirus E1B) and cellular (hsp 70, p53) components interact with centrosomes.
- SO JOURNAL OF CELLULAR PHYSIOLOGY, (1994 Jul) 160 (1) 47-60. Journal code: HNB; 0050222. ISSN: 0021-9541.
- L16 ANSWER 7 OF 15 BIOSIS COPYRIGHT 2002 BIOSIS
- AU Buchou, Thierry; Kranenburg, Onno; Van Dam, Hans; Roelen, Dave; Zantema, Alt; Hall, Frederick L.; Van Der Eb, Alex (1)
- TI Increased cyclin A and decreased cyclin D levels in adenovirus 5 ElA-transformed rodent cell lines.
- SO Oncogene, (1993) Vol. 8, No. 7, pp. 1765-1773. ISSN: 0950-9232.
- L16 ANSWER 8 OF 15 MEDLINE
- AU Konno A; Sato N; Yagihashi A; Torigoe T; Cho J M; Torimoto K; Hara I; Wada
- Y; Okubo M; Takahashi N; +
- TI Heat- or stress-inducible transformation-associated cell surface antigen on the activated H-ras oncogene-transfected rat fibroblast.
- SO CANCER RESEARCH, (1989 Dec 1) 49 (23) 6578-82. Journal code: CNF; 2984705R. ISSN: 0008-5472.
- L16 ANSWER 9 OF 15 MEDLINE
- AU Levine A J
- TI The p53 tumor suppressor gene and gene product.
- SO PRINCESS TAKAMATSU SYMPOSIA, (1989) 20 221-30. Ref: 53 Journal code: HHI; 9301172.
- L16 ANSWER 10 OF 15 MEDLINE DUPLICATE 5
- AU White E; Spector D; Welch W
- TI Differential distribution of the adenovirus E1A proteins and colocalization of E1A with the 70-kilodalton cellular heat shock protein in infected cells.
- SO JOURNAL OF VIROLOGY, (1988 Nov) 62 (11) 4153-66. Journal code: KCV; 0113724. ISSN: 0022-538X.
- L16 ANSWER 11 OF 15 MEDLINE DUPLICATE 6
- AU Kovesdi I; Reichel R; Nevins J R
- TI Role of an adenovirus E2 promoter binding factor in E1A -mediated coordinate gene control.
- SO PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA, (1987 Apr) 84 (8) 2180-4.

 Journal code: PV3; 7505876. ISSN: 0027-8424.
- L16 ANSWER 12 OF 15 MEDLINE
- AU Murphy M; Opalka B; Sajaczkowski R; Schulte-Holthausen H
- TI Definition of a region required for transformation in **Ela** of adenovirus 12.
- SO VIROLOGY, (1987 Jul) 159 (1) 49-56. Journal code: XEA; 0110674. ISSN: 0042-6822.
- L16 ANSWER 13 OF 15 MEDLINE

- AU Lin A Y; Lee A S
- TI Effect of E1A and E1B viral proteins on the expression of a calcium ionophore-inducible gene and its promoter.
- SO NUCLEIC ACIDS RESEARCH, (1986 Jun 25) 14 (12) 4911-21. Journal code: O8L; 0411011. ISSN: 0305-1048.
- L16 ANSWER 14 OF 15 MEDLINE
- AU Grand R J; Gallimore P H
- TI Modulation of the level of expression of cellular genes in adenovirus 12-infected and transformed human cells.
- SO EMBO JOURNAL, (1986 Jun) 5 (6) 1253-60. Journal code: EMB; 8208664. ISSN: 0261-4189.
- L16 ANSWER 15 OF 15 MEDLINE

DUPLICATE 8

DUPLICATE 7

- AU Nevins J R
- TI Induction of the synthesis of a 70,000 dalton mammalian heat shock protein by the adenovirus ElA gene product.
- SO CELL, (1982 Jul) 29 (3) 913-9. Journal code: CQ4; 0413066. ISSN: 0092-8674.